


St. Louis Series Pendant






| Model Number | Lamping Code | Body Lamping | Circuit | Finish | Diffuser | Mounting |
|---|-----------------|---------------------|---------|--------|----------|----------------|
| • W 25 • HT 8 • OAH 36 (OverAll Height) | FVT | 5,100lm LED (39W) | 1 | PC | WA PA | ST SP MS |
| • W 31 • HT 9 • OAH 48 (OverAll Height) | FVV | 7,700lm LED (58W) | 1 | PC | WA PA | ST SP MS |
| | FVW | 13,600lm LED (96W) | 1 | PC | WA PA | ST SP MS |
| • W 43 • HT 11 • OAH 72 (OverAll Height) | FVZ | 23,400lm LED (146W) | 1 | PC | WA PA | ST SP MS |
| | FWA | 34,400lm LED (225W) | 1 | PC | WA PA | ST SP MS |

SAMPLE CATALOG NUMBER

Model Number - Lamping Code - Finish - Mounting - Diffuser - Options



Abbreviation Key

Finish Types

PC Powder Coat

Diffuser Types

WA Standard Acrylic Diffuser
PA Premium Acrylic Diffuser

Mountings

PRODUCT FEATURES

- Fabricated and welded metal housing
- Powder coated metallic finish
 UV stable, white acrylic bowl diffuser (Standard)
 Optional specialty diffuser materials available
 Energy efficient LED lamping

- High power factor electronic LED driver
- Wired for dual circuit operation, Body Lamping and Down Lamping
- Standard LED CCT is 3000 Kelvin contact us for alternate color temperature availability
- Standard LED CRI is 80 contact us for alternate CRI availability
- Incandescent lamping is Triac or ELV dimmable consult lamp and dimmer manufacturer for compatibility.
- Standard LED dimming is 0-10v
- Optional line voltage (Triac or ELV) LED dimming is available consult for compatibility
- Fixture is Chain or Stem hung (extra length may be added, specify OAH) (OAH -Over All Height - is the length from the ceiling to the bottom of the fixture.)
- Mounts to standard electrical junction box (by others), Box may require additional structural support (by others)
- For slopes greater than 35 degrees (from horizontal) order steep pitch adapter (Stem only)
- UL / cUL or ETL / cETL listed
- · Contact Us for more lamping options.

ST Stem

Steep Pitch Canopy for Stem SP

MS Multi-Stem

Dimming Types

D1 0